

MSDS

DIAMMONIUM PHOSPHATE (DAP)

1. PRODUCT & COMPANY INFORMATION

TRADE NAME	DAP - Diammonium Phosphate
CHEMICAL NAME	Dibasic Ammonium Phosphate
CAS NUMBER	7783-28-0
CHEMICAL FAMILY	Ammonium Phosphates—Inorganic Salt
SYNONYMS	Ammonium Phosphate Dibasic Secondary Ammonium Phosphate Diammonium Hydrogen Phosphate Fertilizer Grade Ammonium Phosphate DAP 18 - 46 - 0
PRIMARY USE	Crop nutrient
COMPANY INFORMATION	KINGSBERG GROUP T: +2710 – 005 3900 C: +2778 – 813 7574 info@kingsbergtrade.com
EMERGENCY TELEPHONE	24 Hour Emergency Telephone Number: For Chemical Emergencies: Spill, Leak, Fire or Accident Call CHEMTREC North America: (800) 424-9300 (reference CCN201871) Others: (703) 527-3887 (collect)

2. HAZARD IDENTIFICATION

HEALTH HAZARDS	Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Diammonium phosphate is generally recognized as safe when used in accordance with good manufacturing practice.
PHYSICAL HAZARDS	Slippery when wet
PHYSICAL FORM	Solid
APPEARANCE	Gray, tan, brown or black granules
ODOUR	Slight ammonia odour
TOXICITY	Non-toxic

EMERGENCY OVERVIEW

NFPA HAZARD CLASS

Health: 1
Flammability: 0
Instability: 0
Special hazard: None

HMIS HAZARD CLASS

Health: 1
Flammability: 0
Physical Hazard: 0
PPE: Section 8

WHMIS HAZARD CLASS

Symbol: N/A
Classification Not WHMIS
Sub Class (N/A) Controlled

MSDS DIAMMONIUM PHOSPHATE (DAP)

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES: Contact may cause mild eye irritation including stinging, watering and redness.

SKIN: Contact may cause mild irritation including redness and a burning sensation. No harmful effects from skin absorption have been reported.

INHALATION (BREATHING): Studies by other exposure routes suggest a low degree of hazard by inhalation under normal circumstances.

INGESTION (SWALLOWING): Low degree of toxicity by ingestion.

SIGNS AND SYMPTOMS: Effects of overexposure may include irritation of the nose, throat and digestive tract, nausea, vomiting, diarrhea, coughing and shortness of breath.

CANCER: Data not available.

TARGET ORGANS: Data not available.

DEVELOPMENTAL: Data not available.

OTHER COMMENTS: Effects of overexposure to dusts can include irritation of the eyes and respiratory tract, pneumoconiosis (dust congested lungs), pneumonitis (lung inflammation), coughing, vomiting, diarrhea, abdominal pain and jaundice.

PRE-EXISTING MEDICAL CONDITIONS: Respiratory (asthma-like) disorders, dermatitis

POTENTIAL ENVIRONMENTAL EFFECTS

DAP is considered biodegradable and is taken up as a nutrient by vegetation. Large spills can harm or kill vegetation. May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream. Fish 96 hour LC50, OECD Guidelines 203 (rainbow trout): >86mg/L; Non-toxic to aquatic organisms as defined by USEPA.

3. COMPOSITION INFORMATION ON INGREDIENTS

FORMULA (NH₄)₂HPO₄

COMPOSITION	Phosphate as P ₂ O ₅	45.5-46.5 %
	Nitrogen as N	17.5 - 18.3 %
	Water	1.5 – 2.6 %
	Fluorides as F	2 – 4 %



MSDS DIAMMONIUM PHOSPHATE (DAP)

4. FIRST AID MEASURES

FIRST AID PROCEDURES

EYES: Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.

SKIN: Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.

INHALED: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.

INGESTION: If person is conscious, immediately give water or milk. Do not induce vomiting. Seek medical attention. If person is unconscious, do not give anything by mouth.

NOTE TO PHYSICIAN

If person has been exposed to concentrated decomposition products, treat symptomatically and watch for delayed symptoms of pulmonary edema.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: Not applicable

OSHA FLAMMABILITY CLASS: Not applicable

LEL/UEL: LEL: Not applicable/ UEL: Not applicable

AUTO-IGNITION

TEMPERATURE: Not applicable

EXTINGUISHING MEDIA

Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff.

Small fires: Water spray, foam, dry chemical or CO²

Large fires: Water spray, fog or foam

PROTECTION OF FIREFIGHTERS

Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials.

6. ACCIDENTAL RELEASE MEASURES

RESPONSE TECHNIQUES

Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal.

RELEASE NOTES

If spill could potentially enter any waterway, including intermittent dry creeks, contact the local authorities. If in the US, contact the US COAST GUARD NATIONAL RESPONSE CENTER toll free number 800-424-8802. In case of accident or road spill notify: CHEMTREC in North America at 800-424-9300; from elsewhere, contact CHEMTREC at 703-527-3887 (collect).



MSDS DIAMMONIUM PHOSPHATE (DAP)

7. HANDLING AND STORAGE

HANDLING

The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.

STORAGE

Use and store this material in cool, dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE/FACE: Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended.

SKIN: The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption.

RESPIRATORY: Protection is not required where adequate ventilation conditions exist. Use a dust mask or other appropriate respiratory protection where engineering controls are not feasible or during operations that generate airborne concentrations exceeding the relevant standards.

OTHER: A source of clean water should be available in the work area for flushing eyes and skin.

GENERAL HYGIENE CONSIDERATIONS

Wash thoroughly after handling. Use adequate ventilation.

EXPOSURE GUIDELINES

OSHA Permissible Exposure Limits (PEL):	Particulates Not Otherwise Specified: 5 mg/m ³ TWA (respirable); 15 mg/m ³ TWA (total) Ammonia: 50 ppm (35 mg/m ³) TWA
ACGIH Threshold Limit Value (TLV):	Ammonia: 25 ppm (18 mg/m ³) TWA; 35 ppm (27 mg/m ³) STEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm).

FLASH POINT

Not applicable

FLAMMABILITY/EXPLOSIVE LIMITS (%)

LEL: Not applicable/UEL: Not applicable

AUTO-IGNITION TEMPERATURE

Not applicable

APPEARANCE

Gray, tan, brown or black granules



MSDS DIAMMONIUM PHOSPHATE (DAP)

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid
ODOUR	Slight ammonia odor
PH	7.0 – 8.0 in a 1% solution
VAPOR PRESSURE (MM Hg)	Not applicable
VAPOR DENSITY (AIR=1)	Not applicable
BOILING POINT	Not applicable
FREEZING/MELTING POINT	Decomposes at 310°F (155 °C) before melting
SOLUBILITY IN WATER	80% - 95%
SPECIFIC GRAVITY	Not applicable
VOLATILITY	Not applicable
BULK DENSITY	Loose 56 - 61 lbs./ft ³ (895 - 960 Kg/m ³); Packed 58 - 64 lbs./ft ³ (930 - 1025 Kg/m ³)

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY	Stable under normal conditions of storage and handling. Decomposes at 310°F (155°C).
CONDITIONS TO AVOID	Extreme temperatures
INCOMPATIBLE MATERIALS	Avoid contact with alkaline materials
HAZARDOUS DECOMPOSITION PRODUCTS	If heated to the point of decomposition, oxides of phosphorus, oxides of nitrogen and ammonia (NH ₃) may be released.
CORROSIVENESS	May be corrosive to iron and mild steels, aluminum, zinc and copper
HAZARDOUS POLYMERIZATION	Will not occur

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL TOXICITY	LD ₅₀ (rat, oral) > 5000 mg/kg bw
ACUTE INHALATION TOXICITY	Data not available
ACUTE DERMAL TOXICITY	LD ₅₀ (rat, dermal) > 5000 mg/kg bw
MUTAGENESIS	Data not available
TARGET ORGAN	Data not available
DEVELOPMENTAL TOXICITY	Data not available
CARCINOGENICITY	The ingredient(s) of this product is (are) not classified as carcinogenic by NTP (National Toxicology Program), IARC, or OSHA

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGY	May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream. Fish 96 hour LC ₅₀ , OECD Guidelines 203 (rainbow trout): >86mg/L. Non-toxic to aquatic organisms as defined by USEPA.
----------------------	---



MSDS DIAMMONIUM PHOSPHATE (DAP)

13. DISPOSAL CONSIDERATIONS

Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material.

14. TRANSPORTATION INFORMATION

REGULATORY STATUS	Not regulated
PROPER SHIPPING NAME	Not applicable
HAZARD CLASS	Not listed in the hazardous materials shipping regulations (49 CFR, Table 172.101) by the U.S. Department of Transportation, or in the Transport of Dangerous Goods (TDG) Regulations Canada.
PACKING GROUP	Not applicable
IDENTIFICATION NUMBER	HTS 3105.30.00
GUIDE NUMBER	Not applicable
MARPOL	Based on the United Nations Globally Harmonized System for Classification and Labeling of Chemicals (UN GHS) this product is not harmful to the marine environment (non-HME) based on not exceeding the parameters or criteria below ¹ : <ul style="list-style-type: none">• Acute Aquatic Toxicity Category 1; and/or• Chronic Aquatic Toxicity Category 1 or 2; and/or• Carcinogenicity² Category 1A or 1B combined with not being rapidly degradable and having high bioaccumulation; and/or• Mutagenicity² Category 1A or 1B combined with not being rapidly degradable and having high bioaccumulation; and/or• Reproductive Toxicity² Category 1A or 1B combined with not being rapidly degradable and having high bioaccumulation; and/or• Specific Target Organ Toxicity Repeated Exposure² Category 1 combined with not being rapidly degradable and having high bioaccumulation; and/or• Solid bulk cargoes containing or consisting of synthetic polymers, rubber, plastics, or plastic feedstock pellets (this includes materials that are shredded, milled, chopped or macerated or similar materials).

Notes:

1) The criteria are based on UN GHS, fourth revised edition (2011). For specific products (e.g. metals and inorganic metal compounds) guidance available in UN GHS, annexes 9 and 10 are essential for proper interpretation of the criteria and classification and should be followed.

2) Products that are classified for Carcinogenicity, Mutagenicity, reproductive toxicity or Specific Target Organ Toxicity Repeated Exposure for oral and dermal hazards or without specification of the exposure route in the hazard statement.



MSDS DIAMMONIUM PHOSPHATE (DAP)

15. REGULATORY INFORMATION

CERCLA	Not listed
RCRA 261.33	Not listed
SARA TITLE III (Exemptions at 40 CFR, Part 370 may apply for agricultural use, or for quantities of less than 10,000 pounds on-site.)	SARA– 311/312: Acute: Yes Chronic: No Fire: No Pressure: No Reactivity: No SARA– 313: Not listed SARA– 302/304: Not listed
NTP, IARC, OSHA	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.
CANADA DSL and NDSL	DSL: Yes NDSL: Not listed
TSCA	Listed on the TSCA Inventory
CA Proposition 65: (Health & Safety Code Section 25249.5)	Warning: This product contains substances known to the State of California to cause cancer and/or birth defects or other reproductive harm.
WHMIS	This MSDS has been prepared according to the hazard criteria of the Controlled Product Regulations (CPR) and the MSDS contains all of the information required by the CPR.
CBSA	This product does not contain any bovine, ruminant or other animal by-products.
REACH REGISTRATION	#01-2119490974-22-0074

16. OTHER INFORMATION

DISCLAIMER	The information in this document is believed to be correct as of the date issued. Nothing herein contained shall be deemed to be a representation or warranty with respect to the product described herein. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE, AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED BY KINGSBERG. This information and product are furnished on the condition that the person receiving them shall make their own determination as to suitability of the product for their particular purpose and on the condition that they assume the risk of their use thereof. The conditions and use of this product are beyond the control of Kingsberg, and Kingsberg disclaims any liability for loss or damage incurred in connection with the use or misuse of this substance.
PREPARATION	The preparation of this MSDS was in accordance with ANSI Z400.1-2010.
REVISION DATE	10/07/2014
SECTIONS REVISED	15 – added REACH registration number
MSDS NUMBER	MOS100011.01
REFERENCES	MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET

